



Scientific Research and Essays

Volume 12 Number 17 15 September, 2017
ISSN 1992-2248



ABOUT SRE

The Scientific Research and Essays (SRE) is published twice monthly (one volume per year) by Academic Journals.

Scientific Research and Essays (SRE) is an open access journal with the objective of publishing quality research articles in science, medicine, agriculture and engineering such as Nanotechnology, Climate Change and Global Warming, Air Pollution Management and Electronics etc. All papers published by SRE are blind peer reviewed.

Contact Us

Editorial Office: sre@academicjournals.org

Help Desk: helpdesk@academicjournals.org

Website: <http://www.academicjournals.org/journal/SRE>

Submit manuscript online <http://ms.academicjournals.me/>.

Editors

Dr. NJ Tonukari

*Editor-in-Chief
Scientific Research and Essays
Academic Journals
E-mail:sre.research.journal@gmail.com*

Dr. M. Sivakumar Ph.D. (Tech).

*Associate Professor
School of Chemical & Environmental Engineering
Faculty of Engineering
University of Nottingham
Jalan Broga, 43500 Semenyih
Selangor Darul Ehsan Malaysia.*

Prof. N. Mohamed ElSawi Mahmoud

*Department of Biochemistry, Faculty of science, King
Abdul Aziz university,
Saudi Arabia.*

Prof. Ali Delice

*Science and Mathematics Education Department, Atatürk
Faculty of Education,
Marmara University, Turkey.*

Prof. Mira Grdisa

*Rudjer Boskovic Institute, Bijenicka cesta 54,
Croatia.*

Prof. Emmanuel HalaKwon-Ndung

*Nasarawa State University Keffi Nigeria
PMB1022 Keffi,
Nasarawa State.
Nigeria.*

Dr. Cyrus Azimi

*Department of Genetics, Cancer Research Center,
Cancer Institute, Tehran University of Medical Sciences,
Keshavarz Blvd.,
Tehran, Iran.*

Dr. Gomez, Nidia Noemi

*National University of San Luis,
Faculty of Chemistry, Biochemistry and Pharmacy,
Laboratory of Molecular Biochemistry
EjercitodelosAndes 950-5700 San Luis
Argentina.*

Prof. M. Nageeb Rashed

*Chemistry Department-Faculty of Science,
Aswan South Valley University,
Egypt.*

Dr. John W. Gichuki

*Kenya Marine & Fisheries Research Institute,
Kenya.*

Dr. Wong Leong Sing

*Department of Civil Engineering,
College of Engineering,
Universiti Tenaga Nasional,
Km7, Jalan Kajang-Puchong,
43009 Kajang, Selangor Darul Ehsan, Malaysia.*

Prof. Xianyi Li

*College of Mathematics and Computational Science
Shenzhen University Guangdong, 518060
P.R. China.*

Prof. Mevlut Dogan

*Kocatepe University, Science Faculty, Physics Dept.
Afyon/Turkey.
Turkey.*

Prof. Kwai-Lin Thong

*Microbiology Division, Institute of Biological Science,
Faculty of Science, University of Malaya, 50603,
Kuala Lumpur,
Malaysia.*

Prof. Xiacong He

*Faculty of Mechanical and Electrical Engineering, Kunming
University of Science and Technology, 253 XueFu Road,
Kunming,
P.R. China.*

Prof. Sanjay Misra

*Department of Computer Engineering
School of Information and Communication Technology
Federal University of Technology, Minna,
Nigeria.*

Prof. Burtram C. Fielding Pr. Sci. Nat.

*Department of Medical BioSciences
University of the Western Cape Private Bag X17
Modderdam Road
Bellville, 7535, South Africa.*

Prof. Naqib Ullah Khan

*Department of Plant Breeding and Genetics
NWFP Agricultural University Peshawar 25130,
Pakistan*

Editorial Board

Prof. Ahmed M. Soliman

*20MansourMohamedSt.,Apt51,Zamalek,
Cairo,
Egypt.*

Prof. JuanJosé Kasper Zubillaga

*Av.Universidad1953Ed.13depto304,
MéxicoD.F.04340,
México.*

Prof. ChauKwok-wing

*University of Queensland Instituto
Mexicanodel Petroleo, Eje Central
Lazaro Cardenas Mexico D.F.,
Mexico.*

Prof. Raj Senani

*Netaji Subhas Institute of Technology,
Azad Hind Fauj Marg, Sector3,
Dwarka, New Delhi 110075, India.*

Prof. RobinJ Law

*CefasBurnham Laboratory,
Remembrance Avenue Burnhamon Crouch, Essex
CM08HA,
UK.*

Prof. V. Sundarapandian

*IndianInstitute of Information Technologyand
Management-Kerala
Park Centre,
Technopark Campus,Kariavattom P.O.,
Thiruvananthapuram-695581,Kerala,India.*

Prof. Tzung-PeiHong

*Department of Electrical Engineering,
Andat the Department of Computer Science and
Information Engineering
NationalUniversity ofKaohsiung.*

Prof.Zulfiqar Ahmed

*Department of Earth Sciences, box5070,
Kfupm, dhahran-31261, SaudiArabia.*

Prof. Khalifa Saif Al-Jabri

*Department of Civil and Architectural Engineering
College of Engineering, Sultan
Qaboos University
P.O.Box33,Al-Khod123,Muscat.*

Prof. V.Sundarapandian

*Indian Institute of Information Technology &
Management-Kerala
Park Centre,
Technopark,Kariavattom P.O.
Thiruvananthapuram-
695581,KeralaIndia.*

Prof. Thangavelu Perianan

*Department of Mathematics,
Aditanar College,
Tiruchendur-628216India.*

Prof. Yan-zePeng

*Department of Mathematics,
Huazhong University of Science and
Technology,Wuhan430074,P.R.
China.*

Prof. KonstantinosD.Karamanos

*Universite Librede Bruxelles,
CP231 Centre of Nonlinear
Phenomena And Complexsystems,
CENOLIBoulevarddeTriomphe
B-1050,
Brussels,
Belgium.*

Prof. XianyiLi

*School of Mathematics and Physics,
Nanhua University, Hengyang City,
Hunan Province,
P.R.China.*

Dr. K.W.Chau

*HongKong Polytechnic University
Department of Civil & Structural
Engineering, HongKong Polytechnic
University, Hungghom, Kowloon,
HongKong,
China.*

Dr. AmadouGaye

*LPAO-SF/ESPPoBox5085Dakar-FannSENEGAL
University Cheikh Anta Diop
Dakar SENEGAL.*

Prof. MasnoGinting

*P2F-LIPI,Puspiptek-Serpong,
15310 Indonesian Institute of Sciences,
Banten-Indonesia.*

Dr. Ezekiel Olukayode Idowu

*Department of Agricultural Economics,
Obafemi Awolowo University, Ife-Ife,
Nigeria.*

Scientific Research and Essays

Table of Contents: Volume 12 Number 17 15 September, 2017

ARTICLE

- Determination of heavy metals in landfill area in Tocantins, Brazil** 163
Cristiely Maria de Sousa Alves, Alcione Olinto Galvão, Dany Geraldo
Kramer, Isabelle Ribeiro Barbosa and Anesio Mendes de Sousa

Full Length Research Paper

Determination of heavy metals in landfill area in Tocantins, Brazil

Cristiely Maria de Sousa Alves de Oliveira¹, Alcione Olinto Galvão³, Dany Geraldo Kramer^{1*},
Isabelle Ribeiro Barbosa¹ and Anesio Mendes de Sousa²

¹Technology Center, Mechanical Engineering, Federal University of Rio Grande do Norte, Natal 59.072-970, RN, Brazil.

²Department of Agronomy, Federal Institute of Education, Science and Technology, Tocantins, Brazil.

³Department of Mechanical Engineering, Federal University of Rio Grande do Norte, Brazil.

Received 17 July, 2017; Accepted 1 August, 2017

Improper disposal of municipal solid waste is a problem in Brazil, especially in the North, as noted in Araguatins, TO and can lead to environmental contamination caused by heavy metals. This study aims to analyze the occurrence of heavy metals in soil and leachate in the landfill of Araguatins, TO, Brazil. Soil samples and manure were collected at different points and stored in plastic containers for later laboratory analysis of heavy metals (Cd, Cu, Ni, Pb and Zn (slurry - atomic absorption spectroscopy)) and soil (ICP-MS). Soil samples have heavy metals concentrations based on the recommended range. The slurry samples had lead, copper and zinc above the permissive range.

Key words: Heavy metals, dump, slurry, soil.

INTRODUCTION

Population growth has contributed to increase in consumption, and consequently production of wastes, which have varied physical, biological and chemical characteristics (Celere et al., 2007; Chang et al., 2013). Improper disposal of these wastes contaminates soil, water resources, flora and fauna possible through the production of manure, which has toxic substances and microbial agents (Carvalho et al., 2009; Moreira et al., 2011; Rigueti et al., 2015).

Among the important toxic substances are heavy metals (a group of chemical elements in elemental form as a conjugate), which can be toxic to organisms based on their properties, availability, and concentrations (Ag, As, Cd, Cu, Cr, Hg, Ni, Pb and Zn) (Nollet, 2007). Some

of these substances have greater toxicity, are carried by slurry and deposited on soil and water resources. Humans exposed to them can have biochemical (enzyme changes, changes of biomolecules and transport of essential substances) and physiological changes, such as cancers and fetal abnormalities (Nollet, 2007; Chen et al., 2009; Jang et al., 2008; Lucilene et al., 2006). This heavy metal contamination arising from "dumping ground" is reported by several authors; Olowoyo et al. (2012) observed the contamination of vegetable by Fe>Mn>Zn in South Africa; Opaluwa et al. (2012) indicated the contamination of soil and plants (As, Cd, Co and Cu) in Nigeria; Liu et al. (2013) showed the contamination of areas near garbage dumps by Cd> Cu>

*Corresponding author. E-mail: dgkcs@yahoo.com.br. Tel: +55 84 32912411.



Figure 1. Dump of Araguatins, TO. Source: Google Earth.

Cr> Zn>Pb in China. The municipality of Araguatins, TO, located in the Amazon region (IBGE, 2014) experienced improper disposal of solid waste in a landfill located at 3 km from the city (5° 36'7.29 "S / 48° 5'7.88" W) (Figure 1).

Evaluation of solid waste disposal areas should be performed, since heavy metals can be added for agricultural areas, contaminated water sources for human and animal use as well as environmental health damage. Thus, it is possible to choose and adopt the best technical solutions for the prevention of any problem caused (Celere et al., 2007; Cort et al., 2008; Riguetti et al., 2015).

Based on the national resolution of CONAMA (2011) on effluent, the following amounts of heavy metals need to be discarded in the environment: Cd (0.2 mg/L), Pb (0.5 mg/L), Cu (1.0 mg/L), Ni (2.0 mg/L) and Zn (5.0 mg/L).

This study aims to make a physical and chemical characterization of Cd, Pb, Cu, Ni and Zn levels in soil and water samples from Araguatins, TO dump.

MATERIALS AND METHODS

Collection of samples

The manure samples were collected at three different points of the catchment pond, packed in polyethylene containers (previously cleaned with HNO₃- 30% v/v, and deionized water) and kept refrigerated (Celere et al., 2007).

Collection of soil samples was done at 40 different points, with an English auger at depths of 0 to 20 and 20 to 40 cm. The samples

were sieved and homogenized for further physicochemical and heavy metals analysis (Barreto, 2014).

Characterization of samples

The slurry samples were initially kept under refrigeration. Subsequently, the samples were analyzed to observe the concentration of heavy metals (Cd, Pb, Cu, Ni and Zn) using spectroscopy flame atomic absorption (Spectra - Atomic Absorption Spectrometer - 50 B and AA 240 -VARIAN).

Soil samples were sent to the laboratory for heavy metals analysis by ICP-MS (EPA Method 6020A). The physicochemical analyses include analysis of the pH in H₂O, P, K, Ca, Mg, Al and quantitative assessment of sand, silt and clay (Barreto, 2014).

RESULTS AND DISCUSSION

Physicochemical analysis of the soil

Results of the physico-chemical characteristics of the soil are given in Table 1. The high pH results are due to exposure of the soil to anthropogenic activities, in this case, disposal of solid waste area. According to Campos et al. (2012), unaltered soils in the Amazon region have low pH which can be partly explained by the combustion of organic matter, typical in areas of dumps, clarifying the occurrence of cations (Ca and Mg) and Al, a process similar to that observed in this study.

The high percentage of sand content is caused by soil exposure to human actions leading to local erosion, rather than the percentage of clay (Campos et al., 2012).

Table 1. Physicochemical characteristics of the soil.

pH/H ₂ O	Chemical analysis					Physical analysis		
	P	K	Ca	Mg	Al	Sand	Clay	Silt
	mg/dm ³					%		
6.8	8.58	48	1.15	0.85	0.0	74.41	12.42	8.52

Table 2. Heavy metal concentration in soil collected in the dump region of Araguatins/TO.

Heavy metal (mg/L)	Soil depth		Legal limits (mg/kg*)
	(0 - 20 cm)	(0 - 40 cm)	
Cadmium	0.0005	0.0005	0.5
Lead	0.003	0.003	17
Copper	0.003	6.845	35
Nickel	0.0005	5.285	13
Zinc	0.01	0.01	60

*CETESB (2005).

Table 3. Heavy metal concentration in the slurry.

Heavy metal	Detection limit (mg/L)	Legal limit (mg/L)*	Results (mg/L)
Cadmium	0.02	0.2	0.040
Lead	0.10	0.5	2.800
Copper	0.03	1.0	2.640
Nickel	0.10	2.0	0.600
Zinc	0.01	5.0	16.100

*CONAMA (2011).

The high content of P is explained by the incorporation of debris, influenced by the discarded materials of varied constituents.

Heavy metal analysis of the sample soil

Table 2 shows the average values of heavy metals observed in the samples at depth of 0 to 20 and 0 to 40 cm | comparison with the limits recommended by CETESB (2005).

In Tocantins State, there is no specific legislation for heavy metals in soil, hence the norm of CETESB (2005) was used for comparative purpose. It can be seen that the values of these metals are within the recommended ranges.

Metal analysis of manure

Table 3 presents the results of analysis of heavy metals in leachate (garbage dump of Araguatins, TO). Based on the above data, occurrence of the metals, lead, copper and zinc is above the permissive range. While cadmium

and nickel are within the range recommended by CONAMA (2011), the occurrence of certain metals relates to the type of waste discarded, since the slurry will have diverse chemical and microbiological compositions in each region (Celere et al., 2007). In a similar analysis, Celere et al. (2007) reported the occurrence of Pb (2.37 mg/L) and Zn (9.14 mg/L) in manure collected in Ribeirão Preto. From these results, risk of water contamination is evident, resulting in risks to human and environmental health.

Lead can cause neurological, gastrointestinal and bone changes resulting from depletion of calcium (Chang et al., 2013; Sabbar et al., 2012; Nascimento et al., 2010; Pereira and Rodrigues, 2013). Since copper can cause liver abnormalities, skin lesions and bleeding (Kumar et al., 2011; Kyzas et al., 2013), zinc may induce anemia, reduce immune frame, cardiovascular disorders (hypertension and arrhythmias), gastrointestinal disorders (ulcer) and skin lesions (Bennett et al., 1997; Agourakis et al., 2006).

Thus, the monitoring of levels of heavy metals in the soil and manure becomes important in reducing the risks of human and environmental contamination, as well as

studies for change in landfill structure, treatment of manure and soil protection.

Conclusion

Improper disposal of solid waste in Araguatins, TO municipality causes environmental contamination risks (soil, water and atmosphere), especially by heavy metals. It was possible to observe the following in the landfill area:

1. The soil has physical-chemical (pH, Mg, Ca) properties and erosion, resulting from human activities;
2. The concentration of heavy metals in soil is within the recommended range;
3. The slurry samples had lead, copper and zinc levels above the permissive range.

Thus, measures to change the municipal waste disposal system must be studied to better match the current legislation in order to reduce the risks to human and environmental health.

CONFLICT OF INTERESTS

The authors have not declared any conflict of interests.

REFERENCES

- Agourakis DC, de Camargo IMC, Coirim MB, Flues M (2006). Comportamento de zinco e manganês de pilhas alcalinas em uma coluna de solo. *Química Nova* 29(5):960.
- Barreto CG (2014). Avaliação de técnica alternativa para contenção da erosão: estudo de caso da Bacia do rio Taquari, Araguatins - TO. Dissertação, 65f. Mestrado. (Programa de Pós-Graduação em Engenharia Ambiental - Universidade Federal do Tocantins).
- Bennett DR, Baird CJ, Chan KM, Crookes PF, Bremner CG, Gottlieb MM, Naritoku WY (1997). Zinc toxicity following massive coin ingestion. *Am. J. Forensic Med. Pathol.* 18(2):148-153.
- Campos MCC, Dos Santos LAC, Da Silva DMP, Mantovanelli BC, Soares MDR (2012). Caracterização física e química de terras pretas arqueológicas e de solos não antropogênicos na região de Manicoré, Amazonas. *Revista Agro@mbiente On-line* 6(2):102-109.
- Carvalho EA de (2009). Avaliação dos metais pesados tóxicos em chorume coletado no aterro sanitário do município de Marechal Cândido Rondon, PR. Universidade Estadual do Oeste do Paraná/Centro de Ciências Agrárias – Marechal Cândido Rondon – PR. Anais do I Seminário Internacional de Ciência, Tecnologia e Ambiente, 28 a 30 de abril de 2009. UNIOESTE, Cascavel – Paraná – Brasil.
- Celere MS, Oliveira ADS, Trevilato TMB, Segura-Muñoz SI (2007). Metals in landfill leachate in Ribeirão Preto, São Paulo State, Brazil and its relevance for public health. *Cadernos de Saúde Pública* 23(4):939-947.
- Companhia de Tecnologia de Saneamento Ambiental (CETESB) (2005). Decisão da Diretoria Nº 195/2005, de 23/11/2005. 2005.
- Chen X, Zhu G, Gu S, Jin T, Shao C (2009). Effects of cadmium on osteoblasts and osteoclasts in vitro. *Environ. Toxicol. Pharmacol.* 28(2):232-236.
- Conselho Nacional do Meio Ambiente (CONAMA) (2011). Conselho Nacional de Meio Ambiente. Resolução Nº 430/2011 - Dispõe sobre condições e padrões de lançamento de efluente. 2011.
- Cort DEP, Alberti V, Rotta M, Becegato V, Machado WC, Onofre SB (2008). Níveis de metais pesados presentes no chorume produzido em aterros sanitários da região sudoeste do Paraná. *Geoambiente On-line*. 16(11):01-14.
- Instituto Brasileiro de Geografia e Estatística (IBGE) (2014). Dados Araguatins – TO. www.ibge.gov.br.
- Jang SH, Min BG, Jeong YG, Lyoo WS, Lee SC (2008). Removal of lead ions in aqueous solution by hydroxyapatite/polyurethane composite foams. *J. Hazardous Mater.* 152(3):1285-1292.
- Kumar SP, Ramalingam S, Sathyaselvabala V, Kirupha SD, Sivanesan S (2011). Removal of copper (II) ions from aqueous solution by adsorption using cashew nut shell. *Desalination* 266(1):63-71.
- Kyzas GZ, Bikiaris DN, Kostoglou M, Lazaridis NK (2013). Copper removal from aqueous systems with coffee wastes as low-cost materials. In *E3S Web of Conferences*. EDP Sciences Vol. 1.
- Liu C, Cui J, Jiang G, Chen X, Wang L, Fang C (2013). Soil heavy metal pollution assessment near the largest landfill of China. *Soil and Sediment Contamination: Intl. J.* 22(4):390-403.
- Moreira CA, de Oliveira Braga AC, Hansen MAF (2011). Estimativa do tempo de produção de chorume em aterro controlado por meio de medidas de resistividade elétrica. *Revista Brasileira de Geociências* 41(3):549-557.
- Nascimento MPRSD, Santos Carvalho G, Paixão Passos L, Marques JJ (2010). Lixiviação de chumbo e zinco em solo tratado com resíduos de siderurgia. *Pesqui. Agropecu. Trop.* 40(4):497-504.
- Nollet MLM (2007). *Handbook of water analysis*. 2. Ed. London: CRC Pres.
- Olowoyo JO, Okedeyi OO, Mkolo NM, Lion GN, Mdakane STR (2012). Uptake and translocation of heavy metals by medicinal plants growing around a waste dump site in Pretoria, South Africa. *S. Afr. J. Bot.* 78:116-121.
- Opaluwa OD, Aremu MO, Ogbo LO, Abiola KA, Odiba IE, Abubakar MM, Nweze NO (2012). Heavy metal concentrations in soils, plant leaves and crops grown around dump sites in Lafia Metropolis, Nasarawa State, Nigeria. *Adv. Appl. Sci. Res.* 3(2):780-784.
- Pereira VA, Rodrigues OMPR (2013). Intoxicação crônica por chumbo e implicação no desenvolvimento escolar. *Psico*, pp. 571-580.
- Riguetti PF, Lima CCA, Cavalheiro AA, Lenzi E, Rogério FA, Soares da SM (2015). Manganês, zinco, cádmio, chumbo, mercúrio e cromo no chorume de aterro sanitário em Dourados, MS, Brasil. *Ambiente Água-An Interdisciplinary J. Appl. Sci.* 10(1).
- Sabbar M, Delaville C, De Deurwaerdère P, Benazzouz A, Lakhdar-Ghazal N (2012). Lead intoxication induces noradrenaline depletion, motor nonmotor disabilities, and changes in the firing pattern of subthalamic nucleus neurons. *Neuroscience* 210:375-83.



Scientific Research and Essays

Related Journals Published by Academic Journals

- African Journal of Mathematics and Computer Science Research
- International Journal of Physical Sciences
- Journal of Oceanography and Marine Science
- International Journal of Peace and Development Studies
- International NGO Journal