

Full Length Research Paper

Water exploitation-induced climate change

Miah Muhammad Adel

Department of Physics, University of Arkansas, Pine Bluff, Pine Bluff, AR 71601, Arkansas,
Humane Water, P. O. Box 782916, Wichita, KS, US.

Received 15 January, 2023; Accepted 19 June, 2023

Downstream countries can experience a range of direct, indirect, and feedback effects from upstream water piracy. These consequences can range from economic decline due to decreased availability of water for agriculture and fisheries, to the disruption of ecosystems from alterations to water flows and ecosystems, to the potential for political tensions that arise due to unequal access to water resources. The upstream country backs the downstream country's government to serve its own interests. The loss of the heat-storing water medium of the Aral Sea due to the former Soviet Union pirating water from the basin's feeding rivers for cotton production has resulted in warmer summers and cooler winters in the region than before. India is turning the basins of the Ganges and the Teesta into another Aral Sea basin, while deluging the basins with recurrent floods through the sudden release of water from the Farakka and Teesta barrages, and other trans-border river barrages. India's threat to revoke the more than six-decade-old Indus River water treaty has put Pakistan at a severe disadvantage, as extreme climatic events and an increase in irrigation progression have been linked to an increase in lightning-related fatalities. Some Nobel Laureate Professors have mistakenly identified energy insolvency as the cause of water piracy amid the competing plans of building dams and barrages by India and China, which threatens to turn the lower Brahmaputra and Mekong basins into another Aral Sea-like disaster. Climatologists should soon embark on a holistic study of CO₂ emissions and surface water exploitation in order to keep the planet livable, and use water for necessity rather than greed.

Key words: Water piracy, Aral Sea, Ganges, Teesta, Brahmaputra, Indus, Mekong, Indus water treaty, CO₂, Bangladesh, Farakka Barrage, Teesta Barrage, dams, barrages.

INTRODUCTION

The article covers Asian countries affected by the upstream water piracy. Figure 1 shows regions where these countries-Kazakhstan, Uzbekistan, Pakistan, India, Bangladesh, China, Cambodia, Laos, Myanmar, Peninsular Malaysia, Thailand, and Vietnam – are located. Guided by the idea of being rich in a shorter time, the former USSR first started this antienvironmental activity of

pirating water from the Amu Darya and the Sir Darya (Figure 2), the head streams of the world's 4th largest inland water source the Aral Sea (45.3963° N, 59.6134° E) (Figure 3, <http://www.columbia.edu/~tmt2120/environmental%20impacts.htm>; Figures 4 and 5, <https://openoregon.pressbooks.pub/envirobiology/chapter/7-5-case-study-the-aral-sea-going-going-gone/>). Being

E-mail: adelm@uapb.edu.

Author(s) agree that this article remain permanently open access under the terms of the [Creative Commons Attribution License 4.0 International License](https://creativecommons.org/licenses/by/4.0/)



Figure 1. An atlas of Asia the extreme weather like summertime.
Source: Anthony (2006).



Figure 3. Dying rivers feeding the Aral Sea.
Source: Micklin (2007).



Figure 2. The Aral basin map.
Source: McKinney (2003).



Figure 4. The dried bed of the Aral Sea.
Source: User Staecker (2003).

deprived of the heat storage medium, this Central Asian region's (Figure 2) summer and winter became extreme. CO₂ effect was not reported to be responsible for the

generation of climatic extremity.

During 1960 -2000, the basin's summertime average monthly air temperature increase vis-à-vis wintertime decrease was 2°C- 6°C per month (Zavialov, 2007). Also, summers were getting hotter and becoming short-lived whereas winters were getting colder and becoming long-lived along with decreased precipitations. Ragab-Prudhomme (2002) predicted temperature variations up to 2050. Micklin (2007) reported of the water body's drop in size, salinity increase drop in fish production, generation




Figure 5. Two and a half decade apart Aral Basin scenes - left side in 1989 and right side in 2014.
Source: NASA Collage by Producer Cunningham (2014).

of dust storms, and degradation of biotic communities. These were the USSR's self-infliction. Beyond the self-infliction by the surface water exploitation, coercive action has been taking place in the Ganges valley by pushing the lower basin to face the domino effects of upstream piracy by India. India killed the tributary-rich Hooghly River, a tributary of the Ganges, by building dams and barrages on the Hooghly's primary, secondary, and tertiary tributaries of the Hooghly. On the plea of restoring the navigability of the Calcutta Port located more than straight 252 km away from the Farakka point, India then built the Farakka Barrage upon the Ganges and started pirating the downstream Bangladesh ecosystem's elixir water under many tricks. The upstream water piracy took precedence over the dredging of the port. On top of this, India surrounded Bangladesh along the 4,096-kilometre-international border, the fifth-longest land border in the world, by a ring of dams and barrages upon more the half of the 59 common rivers between the two countries for water piracy in the lean season and inundation of Bangladesh during the flood season.

Indian chosen political party in Bangladesh does not protest against India's turning the affected river basins into deserts as well as inundation with unprecedented floods (<https://www.thedailystar.net/environment/climate-crisis/natural-disaster/news/flood-sylhetsunamganj-50000-families-left-dark-3026651>). In the country's National Assembly, the opposition party which is called the enemy party by the Bangladesh Premier is not allowed to raise the devastating flood issue for

discussion.

That was India's treatment to her eastern neighbor. Her western neighbor Pakistan was threatened for cutting off water discharge voiding the World Bank-initiated Indus Treaty signed by the countries in the sixties of the last century. The Indus is the world's 19th longest river with a length of 3,610 km, has the world's 14th annual discharge of 2.7E8 cubic meters. The sources of river discharges in Pakistan lie in India.

Furthermore, China's dam building on the world's 9th largest and the 15th longest River Brahmaputra, and the Indian dam building in the Brahmaputra basin will dwindle the river. The Brahmaputra has the world's 4th largest annual discharge of 1.23E10 cubic meters.

In Southeast Asia and East Asia, the continued building of dams in the basin of the Mekong River (the world's 12th longest having the 7th annual discharge of 4.05E8 cubic meters) by China and the downstream countries will weaken the river.

The article demonstrates the politically motivated greed-driven anthropogenic actions-caused inland water bodies' depletion through water piracy from the feeding rivers to cause environmental heating vis-a-vis cooling. At the preliminary stage, the article lists some of the principal effects pertaining to the pre- and the ongoing piracy periods with illustrations highlighting the transitions. An integrated computer model development remains the goal.

MATERIALS AND METHODS

The author paid visits to the affected region to be an eyewitness of the environmental changes occurring in the lower Ganges basin. Photographs of dry surface water resources were taken. River discharge, climate, navigability, lightning, and other data were obtained from Bangladesh government offices, published literatures, and electronic and print news media. The environmental reactions rose gradually for continued deprivation of water in the lower courses of the Ganges River. The coerced water treaties between India and Bangladesh and their effects upon Bangladesh have been presented. Also, the Indian confining of water resources within herself and extreme climatic effects have been reviewed. The region's central climate office did not find any change in climate for not considering shorter time intervals of climate data in their analysis although people's feeling of the summer heat and the winter cold along with the climate center-recorded temperature figures were reported in the news media. About a decade of temperature data preceding and following the onset of the water piracy was selected for analysis because of the relevancy.

The annual summertime highest and the wintertime coldest temperatures vs years were plotted to find the onset of the heating and cooling. The annual hottest and the coldest temperatures were found for pre (prior to 1975)- and post-piracy to study the correlation with the Ganges discharges. The non-identically of the pre-piracy and the ongoing piracy period Ganges discharges was established by using K-S statistics (Hollander and Wolfe, 1999). The correlation of the pre- and ongoing piracy period HDD and CDD with the Ganges discharges for the same periods was studied. Also, analyses of rainfall, humidity, and lightning data were made. Responses of a prominent climatologist and a Nobel Laureate




Figure 6. The Ganges's course from the source to the Bay of Bengal.
Source: National Mission for Clean Ganga (NMCG).



Figure 7. As India's Ganges runs out of water, a water crisis looms.
Source: Summer drying of the Ganga. Image by Abhijit Mukherjee, (2018).




Figure 8. Shows the countries in the Ganges (India and Bangladesh), the Brahmaputra (China, India, and Bangladesh), the Indus (India and Pakistan), and the Mekong basins (China, Myanmar) (Map of India, 2012).

with the recommendation of no greed-based but need-based use of water by riparian countries to keep the planet livable.

RESULTS

The Ganges in India

Figure 6 shows the course of the Ganges from the birthplace to its forced fall (because India artificially changed its course) in the Bay of Bengal. Figure 7 shows the drying of the Ganges bed. At places, groundwater supplies the river water.

In Figure 8, the Nadia District Rivers (Figure 9) and the Damodar basin (Figure 10) fall in the yellow colored West Bengal to the west of Bangladesh. The Bhagirathi (Hooghly) river was fed by many mighty tributaries (Figure 10). Both Figures 9 and 10 show the Hooghly basin. India started damming the primary, secondary, and tertiary tributaries of the Hooghly River from the fifties. The river was almost dead. India then built the Farakka Barrage (Figures 11 and 12) on the Ganges in 1975 on the plea of turning the Calcutta Port, located more than 250 km away downstream, navigable, although dredging the port was the right solution. She dug the Feeder Canal (Figure 13) to let the Ganges discharge down it. Then she publicized that the Ganges changed its course through Hooghly to

Professor on the issue or upstream water piracy have been presented. The internationality of the sweet water resources has been touched




Figure 9. Nadia District Rivers.
Source: Niyogi (2002).



Figure 10. Damodar basin.
Source: Niyogi (2008).



Figure 11. Ganges River showing the Feeder Canal to the left.
Source: (Google My Maps, 2023)



Figure 12. The 2,245 m long Farakka Barrage with 109 gates, 18.30 span, and 76,500 cumecs discharge capacity upon the Ganges (courtesy of SANDRP – South Asia Network on Dams, Rivers and People) Thakkar (2017).

fall in the Bay of Bengal. There have been coerced water sharing treaties (Table 1 and Figures 14 and 15) between

India and Bangladesh from time to time, and in between, India pirated inordinate amounts of Bangladesh ecosystem's water (Adel, 2015) (Figures 16 and 17). Most of the Ganges River's dry season flow is taken by



Figure 13. The 38.38 km long Feeder Canal that originates in the upstream of the barrage with a discharge capacity of 1,132 cumecs (Photo credit: Prasad, reproduced with permission).
Source: Author.

India (Hillary, 1979). The Gangetic ecosystem cannot survive the India's rationing of water to it.

The coercive treaties

Figures 14 and 15 compare the water sharing under the coercive 30-year treaty signed by the current Bangladesh government which holds power at the mercy of India. The current government is totally speechless under India's desertification of Bangladesh as well as under inundation of Bangladesh, and she does not like to hear complaints against India. Tables 2 and 3 show the water sharing under the current coercive treaty which will expire in 2027. Bangladesh has got ever decreasing dry season discharge, and India has got the ever-increasing dry season discharge. The drooping dry season flow has had dire effects, one of the most damaging of which is the inland intrusion of salty water fronts, which cannot be pushed back into the ocean and have caused the salinization of coastal areas, leading to the death of freshwater aquatic life (Figure 23).

The Padma's (Ganges's) condition in Bangladesh

In course of time, apart from pirating the Ganges water, India surrounded Bangladesh by a unique ring of dams and barrages which is known as the Great Ring of Dams and Barrages (Figure 16) covering more than 30 of the 58 common rivers. Consequently, the lower Ganges basin (Figure 17) has transformed into the Aral Sea basin-like environment. More than 70% of the Ganges's discharge is being pirated as shown in the annual discharge (Figure 18).

The broken own monthly discharge for some remarkable years is very much appalling (Figure 19).

Figure 20 shows the historical discharge of the Ganges at the Hardinge Bridge point, 233.5 km away from Farakka through Rajshahi – Nawabganj. A water resources engineer said that the government had setup a discharge monitoring station near the Hardinge Bridge point where ground water supplies the river water so that any Indian violation of the current treaty remains masked. A huge shoal has formed on the Ganges (Padma) bed further downstream in the lower Ganges basin (Figures 21 and 22) from the ring of dams and barrages in Bangladesh (Katz, 2008). Figure 23 shows the cracked bed of the Ganges under the Hardinge Bridge.

Hafiz (2023) reports of more than 500 large and small dams on the 47 transboundary rivers that has dried 158 rivers, canals, and floodplains.

The Ganges's (Padma's) distributaries' conditions

Figures 24 and 25 show rivers of North Bengal and the basins of the Baral, the Ganges's primary distributary (Figures 26 to 28), and the Musa Khan, the Ganges's secondary distributary. The Baral is approximately 147 km long, 120 m wide, 6 m deep. The upper basin of the Baral had a drainage area of 230 square km. Figures 26 through 28 shows the current conditions of the Baral.

The Baral's distributary Musa Khan's (Figures 29 through 31) discharge of about 1,000 m³/s during the flood season has been totally stopped by the formation of a shoal that level off the riverbed with its banks. About 15-km Musa Khan would feed its floodplains during July through November using 50 canals. Those floodplains do not get a single drop of water from the Musa Khan. These dead tributaries were playgrounds of Gangetic dolphins (Figures 32 and 33) for at least four months of the year. India wiped out the habitats of these aquatics.

The Gahrai distributary

The Garhai-Madhumati River is the lifeblood of southwest Bangladesh. It has sixteen distributaries. In 1988 summer, its mouth was clogged, and no water could flow in it. In the upper reaches, the river is known as the Madhumati and in the lower reaches, the Garhai. Figure 34 shows the summertime scene of the river with shoals on its bed. The gradual decreasing Ganges's discharge-dependent flow in the Gahrai is shown in Figure 35.

Figure 36 shows the Gahrai catchment in southwest Bangladesh. Figure 37 shows the historical discharge of the Gahrai.

The Teesta basin

Figure 24 shows that 315-km long Teesta rises in the

Table 1. Upstream's India's Increased Allocation (cumecs) in the Coercive Water Sharing Agreements.

Period	Provisional (4/21-5/31/75)	5-year (1977-82)	30-year (1997-2027)
April 21-30	311.5	566	735.6
May 01-10	339.6	608.5	990.5
May 11-20	424.5	679.2	1.092
May 21-30	452.8	757	1.132

Source: Sattar (1998).




Figure 14. In 1996 coerced piracy authorization by Bangladesh that shows ever-decreasing dry season water share for her relative to the 1977 water piracy agreement
Source: Author.




Figure 15. According to 1996 coerced piracy authorization, India has got the ever-increasing dry season discharge relative to the 1977 water piracy agreement.
Source: Author

eastern Himalayas, flows through West Bengal and Sikkim states of India to meet the Brahmaputra in Bangladesh. It drains 12,370 square km. Whereas the Teesta River




Figure 16. Bangladesh encircled by Indian Great Ring of Dams and Barrages marked in yellow colors, a unique technique to subjugate a downstream riparian nation.
Source: Adel (2002).

needs 4,000 cusecs for its existence, its lowest discharges have been 4494, 4732, 529, 8, and 42.45 to 11.57 m³/s in 1980, 1990, 2000, 2005, and 2014, respectively (<http://archive.thedailystar.net/2006/11/03/d611031803114.htm>). The Teesta's bed has formed 58 shoals (Figures 38 and 42). It brings down a lot of silt from the upstream (Figure 39). Its silted bed causes people's sufferings by flooding (Figures 40 and 41; <https://www.facebook.com/100077351871549/videos/731548061424597>). The Indian Teesta Dam is shown in Figure 43.

In the pre-piracy period, flood and rainwater-filled numerous shallow and deep floodplains and other surface water resources would work to recharge the groundwater annually. In the ongoing piracy period, people use groundwater in all sorts of water-related works – drinking,




Figure 17. The Ganges basin in Bangladesh.
Source: Banglapedia, 2021a.

cooking, cleaning, bathing, gardening, aquaculture, agriculture, irrigation, etc., while there is little recharging of groundwater annually from rainwater and that more than 40% of the withdrawn water evaporates. Irrigation sector is the major user of groundwater. The countrywide irrigation sector uses deep tubewells, shallow tubewells (Figure 44), low lift pumps, manual pumps, and indigenous water lifting devices (<https://www.google.com/search?sxsrf=ALeKk03q6d8Y4SlolxOmQaJ2N-fF3eEf3A:1626373742979&source=univ&tbm=isch&q=irrigation+in+Bangladesh&sa=X&ved=>). Consequently, the groundwater table the buildup of which takes thousands of years (Figure 49) (Dey et al., 2013) is depleting. Shallow water tables do not exist anymore. People had to reset their tubewells to withdraw groundwater from a depth of 80 meters or more. This depth is more than 8 times the pre-piracy period setup depth. During the ongoing piracy era, a huge number of tube wells have been abandoned for withdrawing no water or arsenic contaminated water (Figures 45 to 48). Arsenic contaminated groundwater (Adel, 2013) drinking accounts for a 20% fatality.

Floodplains

Canals from rivers would feed the floodplains which would work as the recharging wells for the groundwater. Insufficient rainfalls fail to recharge the groundwater. Groundwater extraction overcomes recharging. Water

cannot accumulate in canals and floodplains where people used to swim in the pre-piracy period. Table 4 highlights the differences between the pre-piracy and piracy era important environmental issues.

Climatic extremity

Figures 50 and 51 show the negative correlation between discharge short fall and the summertime temperature rise, the correlation coefficient being -0.60. Figures 51 and 52 show the positive correlation between the shortfall of the Ganges discharge and the wintertime temperature fall. They are positively correlated with a correlation coefficient of 0.55. Figures 53 shows the rising HDDs and CDDs. Their positive correlation coefficient with the Ganges discharge shortfalls are 0.47 and 0.49, respectively.

Humidity

The humidity variations (Figures 54 and 55) are due to the massive groundwater withdrawals more than 40% of which evaporates. The average maximum humidity during the pre-piracy period was 90.21% and in the ongoing piracy period 92.54%. The average minimum humidity was 55.2% in the pre-piracy period, and in the ongoing piracy period it is 52.9%. The highest relative humidity appeared 1635 times during the pre-piracy period, and it rose to 2957 during the ongoing piracy period. The median and mode values for both the maximum and minimum remain unchanged except for the 5% increase of the minimum humidity mode during the ongoing piracy period.

Precipitations

Precipitation (Figures 56 and 57) has decreased. In pre-piracy days, there would be varying degrees of weeklong rainfalls in the months of June, July, August, and September. This would help for recharging groundwater. In the ongoing piracy period, light rainfall frequency has increased but the heavy rainfall frequency has decreased.

Crops burning

Paddy cultivation has been affected by the shortage of rainfall along with the scorching heat. Figure 58 shows the condition of a paddy field in the Ganges basin.

Increased lightnings

Figures 59 and 60 show exceedingly increases of cloud to

Table 2. Coercive piracy formula.

Water availability at farakka (cumes)	India's share (cumes)	Bangladesh's share (cumes)
1.981 or less	50%	50%
1.981- 2.125.5	remainder	990.5
2.122.5	1.132	remainder

Source: Sattar (1998).

Table 3. Water sharing in the coercive treaty.

Internal (days)	Average discharge (1949-88) (cumes)	Pirated quaty (1949-88) (cumes)	Bangladesh' share (cumes)
Jan 01-10	3.042.70	1.132	1.910.70
Jan 11-20	2.764.15	1.132	1.632.15
Jan 21-30	2.551.36	1.132	1.419.36
Feb 01-10	2.442.94	1.132	1.310.94
Feb 11-20	2.344.91	1.132	1.212.91
Feb 21-28	2.238.70	1.132	1.106.70
Mar 01-10	2.106.06	1.115.56	990.50
Mar 11-20	1.950.75	960.25	990.50
Mar 21-31	1.830.67	990.50	840.17
Apr 01-10	1.787.99	797.49	990.50
Apr 11-20	1.772.51	990.50	787.01
Apr 21-30	1.726.07	735.57	990.50
May 01-10	1.906.03	990.50	915.53
May 11-20	2.082.60	1.092.1	990.50
May 21-31	2.316.47	1.132	1.184.47

Source: Sattar (1998).




Figure 18. The drastic drop in the Ganges discharge in Bangladesh.

Source: Hebblethwaite (1997).

ground lightnings. 2018 has been the worst year (Figure 59) and May has been the worst month of any year (Figure 60). There has not been any kind of indoor or

outdoor engagements in which lightnings do not strike any victims (Adel, 2021). Some lightnings victims are pictured in Figures 61 and 62.




Figure 19. Monthly average discharge in the Ganges. The ecosystem that once survived with the discharges indicated by the top three curves has to survive now with the discharge indicated by the bottom curve or less than this. Source: Adel (2002).

Potential aral Sea Basin-like scenes

China completed 510 MW Zangmu Dam on the upper reaches of the Brahmaputra, a few kilometers from Bhutan—India border. Its active capacity is 86,600,000 cubic meters. Three more dams are under construction – Dagu (640 MW), Jaicha (320 MW), and Jeixu. The largest dam on the Brahmaputra the Zam hydropower station was completed in 2015. (<https://timesofindia.indiatimes.com/india/china-plans-dam-on-brahmaputra-how-it-may-impact-india-bangladesh/articleshow/79528597.cms>). China is now setting up hydropower plants in the Brahmaputra's lower reaches (Figure 63).

India is competing with China – she will build the India's largest and world's tallest 288-meter high concrete gravity dam with a 10 gigawatt capacity, the Dibang Dam in Arunachal Pradesh.

India's Central Electricity Authority (CTA) foresees her northeastern region as the country's future powerhouse (Figures 64 and 65). The agency selected 168 large hydroelectric project sites in the Brahmaputra basin in 2001. The expected power output would be 63,328 MW (<https://thediomat.com/2020/12/india-to-expedite-dam-construction-after-china-announces-project-in-tibet/>). The Brahmaputra-Jamuna Subbasin is shown in Figure 66. Further, The Brahmaputra is 13 km wide (Figure 67). Its lowest flow ever recorded is 3,117 cumecs. The piracy of an unknown quantity of water from the Brahmaputra will have a more disastrous effect than in the Ganges basins (Sufian, 1993; Sattar, 1996).

Western neighbor of India: The Indus basin

Apart from the Indian threats her eastern neighbor Bangladesh faces, the western neighbor Pakistan faces even a serious threat of receiving no water from India cancelling the WB-mediated Indus Treaty signed by the governments of Indian and Pakistan in the sixties (Figure 68). According to the treaty, Pakistan gets water from the Indus, the Jhelum, and the Chenab Rivers. And India gets water from the Ravi, the Beas, and the Sutlej Rivers (Figure 69). About 39% of the Indus River system lies in India and 47% in Pakistan (FAO, 2011). Pakistan is the world's one of the most water-stressed countries. Pakistan's water demand is projected to be 225 cubic kilometers in 2050 which was 163 cubic km in 2015. Pakistan fears India's upstream Indus water piracy through dams, which it has already attempted to prevent multiple times due to its contravention of the Indus Waters Treaty. India gets the upper hand in upstream water piracy by building dams and barrages (Figures 70 and 71) for which there are no restrictions in the IWT, nor is there a restriction on the quantity of water stolen (<https://climate-diplomacy.org/case-studies/water-conflict-and-cooperation-between-india-and-pakistan>; Dutta, 2019; Thakkar, 2017).

India faces extreme climate events, possibly, because of confining water by many dams and barrages in Uttarakhand (Adel, 2018). India's progression of irrigation and lightning strikes correlates as evidenced from Figures 72 and 73.

Mekong basin

Figure 74 shows the Mekong basin hydroelectric project sites including the operational, under-construction, and planned ones (Table 5). The downstream countries face worsening drought situation due to China's inclination for dam constructions (<https://www.stimson.org/2020/new-evidence-how-china-turned-off-the-mekong-tap/>). This is the same scenario of precipitation as in the Ganges basin discussed above. But China disputes the issue.

DISCUSSION

Downstream sedimentation

When the river barrage's outlets are opened following failure to accommodate water, stream discharge and velocity increases, the smallest, lightest, and most nonrounded particles are the first to be dislodged from the bed and carried in suspension in the stream. This period is very short lived. When the stream velocity begins to drop, the largest, the heaviest, and the roundest particles are the first to return to the riverbed. This is the longest lived period.




Figure 20. The Historical Ganges Water flows in the Harding Bridge point.
Source: Islam and Gnauck (2011).



Figure 21. River Ganga (Padma) dried up & reduced to a 6ft wide shallow stream in Rajshahi, Bangladesh.
Source: Katz (2008).



Figure 23. The 1.8 km long Harding Bridge on the dry River Padma (Ganges) at Paksey, named after India's British Viceroy Lord Hardinge (1910-1916)
Source: Shakoor, personal communication, (1999).



Figure 22. Cracked bed of the Ganges in Rajshahi].
Source: Katz (2008).



Figure 24. Main Rivers of North Bengal.
Source: Niyogi (1997).



Figure 25. The Baral and the Musa Khan basins. Source: Adel (2002).



Figure 26. A huge shoal in front of the Baral's origin. Source: Author



Figure 27. The pasture on the Baral. Source: Author.



Figure 28. A bridge upon the dry Baral River Source: The Daily Amar Desh.



Figure 29. The Baral's offshoot Musa Khan with the clogged origin; the Musa Khan's origin is levelled off with the bank. Source: Author.



Figure 30. The Musa Khan under a bridge. Source: Photo credit: Samad, personal communication (1999).

There are several reasons for the downstream sedimentation following upstream dams and barrages. If




Figure 31. The Musa Khan’s estimated hydrograph which was about one-third of the Baral’s hydrograph. Source: Adel (2002).



Figure 34. The summertime condition of the Gahrai, the main distributary of the Ganges that used to feed its 16 distributaries. Source: The Daily Star, October 21, 2014,



Figure 32. Image of a Ganges dolphin. These dolphins would populate the distributaries of the Ganges. Source: Sinha (2021).



Figure 33. The carcass of an Irrawaddy dolphin lies on the Kuakata beach in Bangladesh’s Patuakhali district, May 14, 2022. Source: Courtesy of Chowdhury from Dolphin Conservation Committee of Kuakata, Bangladesh, (2022).

the downstream becomes wider than the upstream, discharge speed weakens allowing the time for sedimentation according to the equation of continuity:

$$V_{dn}=(A_{up}/A_{dn})V_{up} \tag{1}$$

where: v_{dn} = Velocity at the downstream; v_{up} = Velocity at the upstream; A_{up} = River area of cross section at the upstream; A_{dn} = River area of cross section at the downstream

Also, downstream distributaries weaken the parent river current because of the current division. Figure 75 shows widening of the Ganges as it moves past West Bengal border.

Experiments on fluid sediment mixtures have shown that an increased suspension concentration causes a substantial reduction of settling velocity (Woo et al., 1988; Mazumder, 1994). Upstream beside the barrage, particles get some settling time as has been observed for the Farakka Barrage.

Near the origin of distributaries, the parent river’s flow is weakened due to the stream division, which affects the cosine of the angle the distributary bifurcates at. This further favors siltation. The decrease in speed at the point of changing stream direction in the distributary allowed the sediment to accumulate and form sedimentary hills at the origins of the Baral, Musa Khan and Gahrai Rivers, thus clogging them.

Floodplains drying and sinking groundwater table

For the pre-piracy era

The total water balance of the basin is determined by the precipitation (about 1.5 m/year), the inflow to the basin (about 0.5 m/year) via rivers and canals, the subsurface inflow from groundwater movement (GW), and the water withdrawal from underground and surface water bodies (about 5 mm/year with a factor of 0.6 representing 60% infiltration for the withdrawn water, W).




Figure 35. Decreasing trend in the Garai's discharge.
Source: Hossain et al., personal communication (2003).



Figure 36. Gorai River catchment area in south western region in Bangladesh
Source: Islam (2011).




Figure 37. Water discharge of Gorai River (1969-2008).
Source: Islam (2011).



Figure 38. 58 shoals on the Teesta bed.
Source: Roy, 2014).

Ongoing piracy era

The inputs to the system include stored surface and ground water (STRG), subsurface outflow from groundwater movement (GWout), and evapotranspiration (about 2 mm/year) (E). For all dried-out distributaries' basins, the stored surface and ground water together is equal to the precipitation (about 1.5 m year⁻¹) minus evapotranspiration (about 2 mm year⁻¹) and 0.4W.

$$STRG = P - E - 0.4W \tag{2}$$

Currently, the evapotranspiration E is more than 2 m year⁻¹, precipitation is less than 1050 mm yr⁻¹, and dependence on groundwater is more than ten times which explains the downward trend of the groundwater.



Figure 39. Silts clogged the Teesta Barrage gates
 Source: The Daily Janakantha, Staff reporter, July 18, 2020).
<https://www.dhakatribune.com/bangladesh/319168/teesta-flowing-above-danger-level-all-barrage>



Figure 42. The Teesta's dry silted
 Source: <https://www.thedailystar.net/teesta-to-affect-indo-bangla-relations-21336>



Figure 40. Present a thumbnail view of the devastating flood situation.
 Source:
<https://m.somewhereinblog.net/mobile/blog/dhabian/30337144>



Figure 43. The Teesta Barrage (Beautiful Bangladesh, 2012)



Figure 41. Present a thumbnail view of the devastating flood situation.
 Source:
https://m.somewhereinblog.net/mobile/blog/mostof_a_kamal/30206906



Figure 44. Irrigation by shallow tubewells from a depth of about 30 m (Courtesy of Banglapedia, 2021b)

Heating and cooling

Currently, the Ganges discharge water is about 40% of pre-piracy period discharge. Ganges's distributaries are dry. Floodplains and other surface water bodies are 50% of the pre-piracy period. Water medium has the highest

specific heat. Clear water absorbs 90% of the incident radiation and reflects just 10%. Wet soil, at most reflects 20% of the incident radiation. The release of CO₂ of specific heat at constant pressure 846 J/Kg.°C (https://www.engineeringtoolbox.com/carbon-dioxide-d_974.html) is beside the point in this scenario. In the pre-piracy days, it would absorb heat during the summertime



Figure 45. Deserted hand tubewells either fail to extract groundwater or yield arsenic-contaminated water. Source: Photo credit: Samad 2003, personal communication)



Figure 48. Deserted hand tubewells either fail to extract groundwater or yield arsenic-contaminated water. Source: Photo credit: Samad, 2003, personal communication)



Figure 46. Deserted hand tubewells either fail to extract groundwater or yield arsenic-contaminated water. Source: Photo credit: Samad, 2003, personal communication



Figure 47. Deserted hand tubewells either fail to extract groundwater or yield arsenic-contaminated water. Source: Photo credit: Samad, 2003, personal communication




Figure 49. Shows how the groundwater in the north of Bangladesh is declining. Source: Dey et al. (2013).

and retain it for release during the wintertime. In the absence of water bodies, there is no heat-absorbing and heat-retaining medium. Dry landmasses reflect heat amplifying its intensity. The absence of the heat-releasing water bodies in the wintertime, the temperature drops. Adel et al. (2014) estimates about 18 million trillion calories of heat cannot be trapped annually due to the upstream water piracy.

The huge pool of water that would be contained in place of the shoal of width 1.6 to 8 km in the Ganges and in other dried rivers could store a significant amount of heat letting not the rise of summer heat and dropping of winter cold. Summertime this huge sandy shoal has an emissivity of 90% (<https://www.thermoworks.com/emissivity-table>) and the average reflectivity of sand can be taken as 40% in the wavelength range of 500-800 μm (Drakopoulos et al., 2014).

The negative correlation coefficient shows moderate correlation between water shortage and the warming. So does the positive correlation coefficient between the

Table 4. Pre-piracy and ongoing piracy period highlights.

Issues	Pre-piracy period	On-going piracy period
Ganges discharge	1932±228 m ³ /s	769±284.5 m ³ /s
Floodplain water level	-	50% of pre-piracy level
Pon water level	-	50% of pre-piracy level
Groundwater table	-	Sinking by at least 0.5 m/s
Highest maximum temperature (°C)	37	45.1
Median maximum temperature (°C)	25.5	28.5
Mode maximum temperature (°C)	31	32
Average maximum temperature (°C)	29.8	30.8
Annual Htng Deg days (°C)	HDD	1.3 times more than HDD
Highest minimum temperature (°C)	8°C	< 5
Median minimum temperature (°C)	17.5	17.0
Mode minimum temperature (°C)	26.0	25.0
Abverage minimum temperature (°C)	20.3	19.8
Annual CIng. Deg days	CDD	1.44 times more than CDD
Highest RH Frequency	1635	2957
Average maximum RH (%)	90.21	92.54
Median RH (%)	72.5	72.5
Mode RH (%)	95	95
Average maximum RH (%)	55.2	52.9
Median RH (%)	52.5	52.5
Mode RH (%)	65	70
Light rainfall	Less occurrences	More occurrences
Heavy rainfall	>100 mm	50% Less occurrences
Monthly average rainfall	-	30% droppage
Ganges discharge correlation with His, Los, HDDs and CDDs	No correlation	Correlation coefficients are -0.60, 0.55, 0.47 and 0.49, respectively
Floodplains having water (km ²)	44,043	11,011
Heat content (calories)	1.71E19	4.32E18
Smr Ht excess and winter loss	-	10 times the pre-piracy
Lightning occurrences	-	Exceedingly increased, spotlighted by int'l news media
Ganges's 794 million tons sediment	-	49% deposition on Indian coast, 5% on Bangladesh coast
Inland Deposition	-	8% on Indian floodplains, 41% on Bangladesh riverbeds
Navigability loss	-	1200 km waterways dry summertime
Saline Water Intrusion	-	1 ppt has increased to 20 ppt over wider areas

Source: Updated from Adel et al. (2014)

water shortage and the cooling down.

Relative humidity

In the absence of water bodies, relative humidity has been affected by the withdrawal of the huge quantity of groundwater in the presence of little or no recharging water. Almost two time's rise of the maximum humidity which occurs in summertime is likely to be related to the shallow level groundwater withdrawal for rice cultivation.

The rise of the maximum relative humidity level is also related to the widespread groundwater withdrawal. People suffer from the rising temperature and rising relative humidity.

As to the humidity variations, it is the evaporation from the extracted groundwater that adds to the piracy period humidity. Irrigated lands have shallow water levels. The solar radiation heats up a smaller volume of water raising its temperature at the surface faster. At the surface, the specific humidity becomes low and favors further evaporation.




Figure 50. Annual maximum temperatures. Source: Adel (2002)




Figure 53. Shows the plots of HDDs and CDDs. Source: Adel (2002).




Figure 51. The Ganges's discharge in Bangladesh. Source: Hebblethwaite (1997).




Figure 54. Variations of the maximum relative humidity during the pre-piracy and the ongoing piracy periods Source: Adel (2002).




Figure 52. Shows the annual minimum temperatures. Source: Adel (2002).

Rainfall

Regarding the drop in precipitation, it can be said that

water begets water. There are more rainfalls on oceans than on lands. The moisture-laden air coming over the land from sea does not meet the adequate moisture to fulfill any critical condition to cause rainfall.

Crop burning

Rice plants reflect more than 40% and absorb about 60% of the incident radiation. Green crops reflect 30% of the incident radiation. The specific heat capacity of rice field's environmental materials like air, wet soil, dry soil, and sand are 1,005, 1,480, 800 and 830 J/kg.°C, respectively. The materials favor longer duration high temperatures around the rice fields under the scorching heat of the Sun. The burning of rice plants in the field could be related to hot weather that affects the photosynthesis by accelerating some chemical reactions and retarding others




Figure 55. Variations of the minimum relative humidity during the pre-piracy and the ongoing piracy periods. Source: Adel (2002).



Figure 58. Rice field burning. Source: Zaman (2021).




Figure 56. Comparison of monthly rainfalls. Source: Adel (2002).




Figure 57. Decreased rainfall frequencies. Source: Adel (2002).




Figure 59. Annual number of lightnings. Source: Adel (2021)




Figure 60. Maximum lightnings occur in May. Source: Adel (2021)



Figure 61. Four farmers died of lightning strikes while working in a rice field in Magura source: Magura Representative (2018).

(<https://www.science.org/content/article/rice-genetically-engineered-resist-heat-waves-can-also-produce-20-more-grain>).



Figure 62. Ten buffalos died of lightning strikes in Sirajganj (Sirajganj Representative, 2018)
 Source: <https://bangla.bdnews24.com/samagrabangladesh/article1491890.bdnews>.



Figure 63. The great curving of the Brahmaputra, the site for China's world's biggest hydropower project.
 Source: BBC NEWS (2014).




Figure 64. Identified, allotted and operational projects in Arunachal Pradesh
 Source: (Bosshard, 2011).




Figure 65. Hydropower projects in the Brahmaputra.
 Source: Adel (2018).

Lightning

Each degree rise in Celsius temperature causes a 12% increase in lightnings (Romps et al., 2014; Thompson, 2014). At least, a rise of 4°C temperature has been observed in the Ganges basin in summer. For a linear relation, the increase in lightnings may be about 50%. There has been a rise of relative humidity following the temperature increase. Bangladesh's Meteorological Office reports that prior to 1981 the country had on average nine days each May lightning's strikes. Afterwards, the figure has risen to 12 days each May (<https://in.reuters.com/article/bangladesh-lightningsisaster-idINKN0Z81U4>). Reasons are related to the victims' wet body conductivity increase by 100 times, crops' leaves/thorns conductivity in the range of ~ 0.3 to




Figure 66. Brahmaputra-Jamuna subbasin.
Source: (Courtesy of Banglapedia, 2021c).



Figure 67. The Brahmaputra in Bangladesh.
Source: Hoque (2014)

0.9 S/m, curvature-dependent induced electric field in victim' working tools and/or ornaments of conductivity $\sim 10^{-1}$ to 10^{-1} S/m in an aerial environment of increased electrical conductivity in the range 10^{-14} to 10^{-9} S/m due to a past, ongoing, or sudden shower when the aerial electric



Figure 68. Indian Prime Minister Narendra Modi's threat to Pakistan of cutting off the water supply.
Source: <https://www.indiatoday.in/india/story/pm-modi-s-water-threat-to-pakistan-what-india-can-do-under-indus-waters-treaty-1609883-2019-10-16>, Photo: PTI.

field becomes about 20 times larger than the natural one of 100 V/m (Adel, 2021).

China and the downstream countries in the Mekong basin have been exploiting this river discharge. People will feel little by little the climate change – increased heating vis-à-vis cooling (Adel et al., 2014).

Nobel Laureate's wrong view

The author asked Niepold (2018) from NOAA Climate Program Office about the reality of the climate change due to surface water resources exploitation at the American Meteorological Society's Climate Studies Diversity Project Workshop in Silver Springs, MD (https://drive.google.com/drive/u/1/folders/1xTdAnDqlyn_dcMdDqID2TdC12UQv3-Sf). He admitted the reality but was unable to address the issue due to many factors. The Nobel Laureate from Penn State University's Nobel Laureate Professor Alley (2018) was also asked about the issue. He said that energy unavailability created the problem. He did not know that India is running mad for energy productions, water acquisitions and reservations, and food productions. She provides free electricity and water to the farmers. Her food production got so much that huge surplus of grains rot in the storage facilities in northwest Punjab. On the face of hungry millions, India wasted both resources and energy. She wasted the water used in the production of food grains. Also, she wasted the energy required to move the water in irrigation. This is because massive energy is required in moving water in farming with the help of electric pumps. That makes the mine sector fall short of energy in lifting coal causing fuel shortages in running coal-fired power plants. A great discussion was held on "Choke Point: India initiative, an exploration into the water-energy-food confrontations in the world's second most populous country" on 2 April 2014



Figure 69. The main tributaries of the Indus that India and Pakistan receive according to the 1960-World Bank Mediated Indus Water Treaty
Source: SANDRP, 2017.




Figure 70. Hydroelectric projects in the Pakistan’s shared Chenab River Basin that will affect the Indus discharge.
Source: SANDRP, 2017.




Figure 71. Hydroelectric projects on the Jhelum River
Source: SANDRP, 2017.

by the Circle of Blue and the Wilson Center (China Environment Forum Choke Point: India –A Wilson Center-Circle of Blue Joint Initiative, April 02, 2014//9; 00 am – 11:00 am). The Circle of Blue’s initiative is very much informative and worth of taking lessons for India (<https://www.wilsoncenter.org/event/choke-point-india-wilson-center-circle-blue-joint-initiative>; Adel, 2015). We focus on curbing CO₂ production that is believed to cause warming. Before the CO₂ curbing race is over, inland surface water resources will be depleted. The problem can be solved easily if the upstream nations listen to what the Father of India said – “The world has enough resources to meet everybody’s need but to no one’s

greed.” Nations should focus on wind energy, solar energy, etc. instead of hydroelectricity.

Internationality of World Rivers

Worldwide there are 60, 53, 71, 39, and 38 international




Figure 72. India's irrigation progression. (Plot made on the Statistics on Indian Economy and Society's data. Source: <https://www.indianstatistics.org/>)




Figure 73. India's rising lightning fatalities. Source: Singh and Singh (2015).

rivers covering 62, 39, 54, 35, and 60% areas in Africa, Asia, Europe, North America, and South America, respectively. The percentages of international basin sharing by the number of countries are 90-100% by 39, 80-90% by 11, 70-80% by 14, 60-70 by 11, 50-60% by 17, 40-50 by 10, 30-40 by 10, 20-30% by 13, 10-20 by 9, and 0-10% by 1, respectively (Adel, 2015). Thus, the internationality of sweet water streams cannot be ignored for our mutual coexistence. If all other riparian countries follow the footsteps of India and China, a global havoc will be created. Covid-19 has targeted the global human population, but the upstream water piracy will affect all living beings – humans, animals, and the ecosystems. The best management of the international water resources is to use it by the upstream country as much as she needs and let remaining part flow downstream. The accumulation of excess water or rationing or blocking the downward flow is just piracy of water. It results in climate change both in the upstream (Adel, 2018) and in the downstream.




Figure 74. Shows the Mekong basin hydroelectric project sites including the operational, under-construction, and planned ones. Source: Houba et al. (2013)

Table 5. Mekong basin planned and proposed dams.

Country	Planned	Proposed
Cambodia	12	0
China	11	2
Laos	43	20
Myanmar	7	0
Thailand	7	0
Vietnam	1	1
Totals	74	23

Source: Houba et al. (2013).

Conclusion

A pen picture of the Aral Sea basin-like scene, both existing and looming, along with warming vis-à-vis cooling



Figure 75. The Ganges's shrunken width ends as it falls in the Bangladesh territory
Source: Das, 2014.

has been presented. It should be an eye-opening for all of us to understand the importance of water in climate change. Water resources once gone are not recoverable due to its irreversibility. Its absence has a domino effect. As we live together, we should feel for each other. Motivation by self-interest mars others' interests, and even puts the self in jeopardy. Let there be a policy of current use of water and not storing for future. Let the water be released for the downstream after the need but not the greed of the upstream has served. Climatologists should not remain silent on the issue of hydroelectricity being used to corner a downstream neighbor, but instead

focus on other forms of energy. If they can actively work on reducing CO₂ emissions from industrialized nations, then they should not hesitate to speak out against the indiscriminate exploitation of water, the elixir of this living planet. CO₂ emission causes global warming, but the H₂O exploitation causes the dual effects of warming as well as cooling. A balanced amount of H₂O can protect the environment from extreme heating and cooling. Influential Nobel Laureate personalities like Professor Alley should understand the real picture and remove the wrong notion. As the pen is mightier than the sword, he should not be hesitant to speak the truth against any

nuclear power possessing nation.

CONFLICT OF INTERESTS

The author has not declared any conflict of interests.

ACKNOWLEDGEMENTS

The author is sincerely thankful to those individuals and agencies that have provided him with facts and figures to intellectually beautify the article.

REFERENCES

- Adel MM (2002). Man-made climatic changes in the Ganges basin. *International Journal of Climatology* 22:993-1016.
- Adel MM (2021). Physical Reasons for Increased Lightnings in Bangladesh and Mitigation Strategies. *American Journal of Environmental Science* (in review)
- Adel MM (2013). Upstream water piracy contaminates downstream water. *Environmental Justice* 6(3):103-114.
- Adel MM (2015). Farakka Barrage Vols 1 & II: The Symbol of Bluffing, Blackmailing, Bullying, and Cornering Downstream for Upstream Water Piracy, published by German Academic Publishing Company Lap Lambert.
- Adel MM (2018). The Uttarakhand 2013 and Jammu-Kashmir 2014 Disasters - Upstream effects of water piracy. *African Journal of Environmental Science and Technology* 12(1):21-68. http://sandrp.in/basin_maps/Hydropower_Projects_in_Brahmaputra_Basin.pdf
- Adel MM, Hossain MR, Hossain SF (2014). Climatic severity victims of upstream water piracy strongly evidencing inland water depletion-caused global warming vis-a-vis cooling. *American Journal of Environmental Science* 10(2):171-198.
- Anthony P (2006). Atlas of Asia. File: Location-Asia-UNsubregions.png, retrieved from <https://commons.wikimedia.org/wiki/File:Location-Asia-UNsubregions.png>
- Banglapedia (2021a). National Encyclopedia of Bangladesh. https://en.banglapedia.org/index.php/Ganges-Padma_River_System
- Banglapedia (2021b). Irrigation. <https://en.banglapedia.org/index.php/Irrigation>
- Banglapedia (2021c). Brahmaputra-Jamuna basin. https://en.banglapedia.org/index.php/Brahmaputra-Jamuna_River_System#:~:text=Brahmaputra%2DJamuna%20River%20System%20is,the%20largest%20floodplain%20of%20Bangladesh
- Beautiful Bangladesh (2012). Teesta Barrage. <https://mybeautifulbangladesh.blogspot.com/2012/06/teestariver.html>
- BBC NEWS (2014). Megadams: Battle on the Brahmaputra <https://www.bbc.com/news/world-asia-india-26663820>.
- Bosshard P (2011). People's Power Blocks Dam Construction in Northeast India, *International Rivers*. <https://archive.internationalrivers.org/blogs/227/people%E2%80%99s-power-blocks-dam-construction-in-northeast-india>
- Das TK (2014). River Bank Erosion Induced Human Displacement and Its Consequences. https://www.researchgate.net/publication/279200603_River_Bank_Erosion_Induced_Human_Displacement_and_Its_Consequences/figure/s?lo=1.
- Dey NC, Bala S K, Saiful Islam AKM, Rashid MA, Hossain M (2013). Northwest Bangladesh, BRAC. Available from <http://www.nfpcsp.org/agridrupal/sites/default/files/ToR-2.pdf>
- Dolphin Conservation Committee of Kuakata, Bangladesh May 14, 2022. <https://www.benarnews.org/english/news/bengali/dolphin-deaths-05272022135212.html>
- Drakopoulos PG, Ghionis G, Lazogiannis K, Poulos S (2014). Toward precise shoreline detection and extraction from remotely sensed images with the use of wet and dry sand spectral signatures. retrieved from https://www.researchgate.net/figure/Reflectance-spectra-of-different-sand-types-as-measured-in-the-laboratory-To-avoid_fig1_279316819
- Dutta PK (2019). October 16, 2019 UPDATED: October 16, 2019 13:03 IS. T. PM Modi's water threat to Pakistan: What India can do under Indus Waters Treaty, *India Today*. Retrieved from <https://www.indiatoday.in/india/story/pm-modi-s-water-threat-to-pakistan-what-india-can-do-under-indus-waters-treaty-1609883-2019-10-16>
- Food and Agriculture Organization of the United Nations (FAO) (2011). AQUASTAT Transboundary River Basins - Indus River Basin. FAO: Rome.
- Google My Maps (2023). https://www.google.com/maps/d/u/0/viewer?ie=UTF8&t=h&oe=UTF8&msa=0&mid=1S5JxMyEPrASaDwjZcr3h_zhW0lI=2.4846989124921432%2C87.9194521599745&z=14
- Hafiz M (2023). Global Water Crisis, Imminently Water War in Bangladesh perspective, the Daily Naydiganta, May 30 (in Bengali), <https://www.dailynaydiganta.com/subeditorial/751847/%E0%A6%AC%E0%A7%88%E0%A6%B6%E0%A7%8D%E0%A6%AC%E0%A6%BF%E0%A6%95%E0%A6%AA%E0%A6%BE%E0%A6%A8%E0%A6%BF%E0%A6%B8%E0%A6%99%E0%A7%8D%E0%A6%95%E0%A6%9F%E0%A6%B8%E0%A6%AE%E0%A7%8D%E0%A6%AD%E0%A6%BE%E0%A6%AC%E0%A7%8D%E0%A6%AF%E0%A6%AA%E0%A6%BE%E0%A6%A8%E0%A6%BF%E0%A6%AF%E0%A7%81%E0%A6%A6%E0%A7%8D%E0%A6%A7%E0%A6%AA%E0%A7%8D%E0%A6%B0%E0%A7%87%E0%A6%95%E0%A7%8D%E0%A6%B7%E0%A6%BF%E0%A6%A4%E0%A6%AC%E0%A6%BE%E0%A6%82%E0%A6%B2%E0%A6%BE%E0%A6%A6%E0%A7%87%E0%A6%B6>
- Hebblethwaite G (1997). The impacts and implications of the Farakka barrage upon Bangladesh. (Doctoral dissertation, B. Sc. Thesis. Newcastle University. UK).
- Hillary ES (1979). *From Ocean to the Sky*, Viking Publication, New York.
- Hollander M, Wolfe D A (1999). *Nonparametric Statistical Methods*. John Wiley & Sons, Inc.: New York pp. 178-179.
- Hoque KMR (2014). Sharp decrease of Jamuna water hampers navigation. *The Daily Star*, <https://www.thedailystar.net/sharpdecrease-of-jamuna-water-hampers-navigation-51204>
- Houba H, Pham Do KH, Zhu X (2013). Saving a River: A Joint Management Approach to the Mekong River Basin. *Environment and Development Economics* 18(1):93-109. <https://m.somewhereinblog.net/mobile/blog/dhbian/30337144> https://m.somewhereinblog.net/mobile/blog/mostofa_kamal/30206906 <https://www.thedailystar.net/teesta-to-affect-indo-bangla-relations-21336>
- Islam SN, Gnauck A (2011). Water Shortage In The Gorai River Basin And Damage of Mangrove Wetland Ecosystems In Sundarbans, Bangladesh, 3rd International Conference on Water and Flood Management (ICWFM-2011)
- Katz D (2008). *EngineerRower in Bangladesh*, February 14, 2008, available at <http://donnybangla.blogspot.com/search/label/Rajshahi%20University>
- Kondrtev IA (ed.). *NASA*: Springfield, VA; 580.
- Magura Representative (2018). Four farmers died of lightning strikes. Published: 11 Sep 2018 05:39 PM BdST Updated: 11 Sep 2018 06:00 PM BdST (<https://bangla.bdnews24.com/samagrabangladesh/article1538671.bdnews>)
- Map of India (2012). https://www.researchgate.net/publication/256038262_Technology_Spillover_of_Foreign_Direct_Investment_An_Analysis_of_Different_Clusters_in_India
- Mazumder BS (1994). Grain size distribution in suspension from bed materials. *Sedimentology* 41(2):271-277.
- McKinney DC (2003). 4th Draft (November 28, 2003), *Cooperative Management of Transboundary Water Resources In Central Asia*

- from In the Tracks of Tamerlane-Central Asia's Path into the 21st Century, D. Burghart and T. Sabonis-Helf (eds.), National Defense University Press, 2003. (In press)
- Micklin P (2007). The Aral Sea disaster. *Annual Review of Earth and Planetary Sciences* 35:47-72.
- Mukherjee A, Bhanja SN, Wada Y (2018). Groundwater depletion causing reduction of baseflow triggering Ganges river summer drying. *Scientific Reports* 8(1):12049.
- NASA Collage by Producer Cunningham (2014). A comparison of the Aral Sea in 1989 (left) and 2014 (right). Retrieved from https://commons.wikimedia.org/wiki/File:AralSea1989_2014.jpg
- National Mission for Clean Ganga (NMCG). Course of Ganga <https://nmcg.nic.in/courseofganga.aspx>
- Niyogi PK (2002). Nadia Rivers. File:Nadia Rivers.jpg, retrieved from https://commons.wikimedia.org/wiki/File:Nadia_Rivers.jpg
- Niyogi PK (2008). Damodar basin. File:Damodar Map.jpg, retrieved from https://commons.wikimedia.org/wiki/File:Damodar_Map.jpg
- Niyogi PK (1997). Main Rivers of North Bengal. File:BD Map Rivers of North Bengal2.jpg, retrieved from https://commons.wikimedia.org/wiki/File:BD_Map_Rivers_of_North_Bengal2.jpg
- Ragab R, Prudhomme C (2002). SW—Soil and Water: Climate Change and Water Resources Management in Arid and Semi -arid Regions: Prospective and Challenges for the 21st Century, *Biosystems Engineering* 81(1):3-34.
- Roy P (2014). Teesta river runs dry as India and Bangladesh fail to resolve disputes, The Third Pole, <https://www.thethirdpole.net/en/regional-cooperation/teesta-riverruns-dry-as-india-and-bangladesh-fail-to-resolve-disputes/>
- Romps DM, Seeley JT, Vollaro D, Molinar J (2014). Projected increase in lightning strikes in the United States due to global warming. *Science* 346(6211):851-854.
- SANDRP (2017). South Asia Network on Dams and Rivers, <https://sandrp.in/2017/03/21/india-pakistan-resume-talks-on-industreaty-stakes-are-high/#>
- Sattar MA (1998). Bangladesh-Bharat Ovinno Nodir Pani Sankot (Bangladesh-India Transboundary River Crisis), Tofazzel Hossain Vishwya Sahitya Bhaban, Banglabajar, Dhaka, Bangladesh.
- Sattar MA (1996). Farakka Bangladesher Bhagyo Zekhane Bondi, Padma-Jamuna Prakashani, Dhaka, Bangladesh.
- Sinha D (2021). Meet the researcher trying to give Gangetic dolphins their due, Hindustan Times, <https://www.hindustantimes.com/lifestyle/art-culture/meet-theresearcher-trying-to-give-gangetic-dolphins-their-due-101630101099743.html>
- Singh O, Singh J (2015). Lightning fatalities over India: 1979-2011. *Meteorological Applications* 22(4):770-778.
- Sirajganj Representative (2018). Lightnings kill 10 buffalos. bdnews24.com.
- Sufian SA (1993). Farakka Barrage- An Overview, in Proceedings of the International Seminar on Farakka Barrage, Farakka Committee (ed.), October 10, 1993, Columbia University, New York.
- Thakkar H (2017). SANDRP, South Asia Network on Dams, Rivers, and People, Chenab · Indus · Pakistan India Pakistan Resume talks on Indus Treaty: Stakes are high. Retrieved from <https://sandrp.in/2017/03/21/india-pakistan-resume-talks-on-indus-treaty-stakes-are-high/>
- The Daily Star (2014). http://news.bbc.co.uk/2/hi/south_asia/7192200.stm
- The Daily Amar Desh. <https://www.amardesh.com/>
- The Daily Janakantha (2020). <https://www.dhakatribune.com/bangladesh/319168/teesta-flowing-above-danger-level-all-barrage>
- Thompson A (2014). Lightning May Increase with Global Warming, Scientific America, Climate Central on November 13. <https://www.scientificamerican.com/article/lightning-may-increase-with-global-warming/>
- User Staecker (2003). Orphaned ship in former Aral Sea, near Aral, Kazakhstan. Retrieved from <https://commons.wikimedia.org/wiki/File:Aralship2.jpg>
- Woo HS, Julien PY, Richardson EV (1988). Suspension of large concentration of sands. *Journal of Hydraulic Engineering* 114:888-898.
- Zaman AN (2021). Boro paddy hit by heat wave. 10th April, 2021 11:39:33 AM in the Daily Sun retrieved from <https://www.daily-sun.com/post/546343/Boro-paddy-hit-by-heat-wave>
- Zavialov P (2007). *Physical Oceanography of the Dying Aral Sea* Published by Springer Berlin Heidelberg, March 2007, DOI10.1007/b138791.